

# Test**4**Sure



- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



## Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



## 365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



## Money Back Guarantee

Full refund if you fail the corresponding exam in 90 days after purchasing. And Free get any another product.



## Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.test4sure.com/>

Choose our valid torrent for sure pass of the actual test.

**Exam** : **C-TADM55a-75**

**Title** : SAP Certified Technology  
Associate - System  
Administration (SAP HANA)  
with SAP NetWeaver 7.5

**Vendor** : SAP

**Version** : DEMO

### **NO.1** TRANSPORT MANAGEMENT

On operating system level, in the transport directory log, you find file DEVA991206.XYZ file.  
What is the content of this file?

- A.** The log for the Dictionary activation of transport request DEVK991206 in the XYZ system
- B.** The trace file from transaction Performance Trace (ST05) for imports into the XYZ system from U December 6, 1999.
- C.** The cofile of transport request DEVK991206, which is waiting for import into the XYZ system
- D.** The log for the export of transport request DEVK991206 from the XYZ system

**Answer:** A

### **NO.2** TRANSPORT MANAGEMENT

In the import queue of system FSP, you find that the "Import All Requests" button is missing but the "Import Request" button is available (see attached screenshot)

- A.** There is only one transport request waiting for import into the
- B.** The transport strategy is set to Single Transports
- C.** FPS system CI FSP is a virtual system
- D.** The transport request does NOT match the component version of the FSP system

**Answer:** B

**NO.3** The ICM uses plug-ins to implement to which communication protocols? (More than one answers are true)

- A.** SMTP
- B.** HTTP
- C.** TCP/IP
- D.** https

**Answer:** A,B,D

### **NO.4** SAP FIORI FUNDAMENTALS AND ADMINISTRATION

Two separate ABAP classes are required to generate SAP Gateway services as follows.

- Model Provider Class (MPC)
- Data Provider Class (DPC)

What do these classes do?

Note: There are 3 correct answers to this question.

- A.** MPC supplies the consumer with a complete description of the gateway service
- B.** DPC supplies the consumer with a complete description of the gateway service
- C.** DPC represents the implementation of the business logic
- D.** MPC represents the implementation of the business logic

**Answer:** A,C

**NO.5** In a three system landscape from which system the Transportable change request has to be exported

- A.** Quality System
- B.** Production System
- C.** Development System

**Answer:** A

**NO.6** if for any reason deletion of the trigger via HANA Studio is not possible, triggers can be deleted

- A. via transaction IUUC\_REMOTE in the source system
- B. via transaction IUUSTOP directly on the database
- C. via transaction IUUC\_STOP in the source system
- D. via transaction IUUC\_REMOTE directly on the database

**Answer:** B

**NO.7** After establishing a three-system landscape transport environment for SAP systems based on AS ABAP, a developer has released a transport request in the DEV system. You now receive a mail with the transport request number from the developer and your job is to import this request into the QAS system. However, even after pressing the refresh button several times, the import queue of the QAS systems seems to be empty.

Which of the following are possible reasons for this problem? (Choose two)

- A. The systems DEV and QAS belong to different transport groups.
- B. A virtual system exists in your transport landscape. Once you have a virtual system in your transport landscape the import buffers are empty.
- C. The repository objects in this transport request belong to a package (formerly development class) that points to a transport layer, which in turn does not point to the QAS system.
- D. You do not have the necessary authorizations to refresh the import queue of the QAS system.

**Answer:** A,C

**NO.8** Which are the file system that you need to set up manually.?

- A. /sapmnt/<SID>
- B. /sap
- C. /sap/trans
- D. /sap/<SID>
- E. ping /<hostname>

**Answer:** D

**NO.9** TRANSPORT MANAGEMENT

You are setting up a new transport domain with the Transport Management System (STMS). What is created automatically?

Note: There are 2 correct answers to this question

- A. The transport group GROUP\_<SID>
- B. The transport directory
- C. The tp parameter file TP\_<domain\_name>.PFL
- D. The backup domain controller

**Answer:** A,C

**NO.10** Which are different installation options for SAP NetWeaver AS?

- A. SAP NetWeaver AS Microsoft .NET
- B. SAP NetWeaver AS ABAP

C. SAP NetWeaver AS ABAP+Java

D. SAP NetWeaver AS Java

**Answer:** A,B

**NO.11** The servers that are NOT supported for use with the SAP NetWeaver AS Java are:

A. SQL Server

B. SAPWeb Dispatcher

C. Apache Web Server

D. Microsoft Internet Information Server (IIS) with an IIS proxy module from SAP

**Answer:** A

**NO.12** Where can you find details on the memory consumption of the integrated ITS?

A. Using the ICF service /sap/moni/its/mem

B. On operating system level, using the command "its -mem"

C. In the SAP system, using transaction/report SITSPMON

D. In the SAP system, using transaction SMICM

**Answer:** C

**NO.13** Which is not the logical levels of internal structure of SAP NetWeaver AS Java ?

A. J2SE components

B. J2EE components

C. Applications Layer

D. SAP Java Enterprise Runtime

**Answer:** A

**NO.14** What is the transaction code to record the internal SAP system activities, such as authorization checks, database accesses, kernel functions, and RFC calls. (Please choose one correct answer)

A. ST05

B. ST22

C. SM21

D. ST01

**Answer:** D

**NO.15** SAP SYSTEM CONCEPTS

What information is stored in the System Landscape Directory?

A. Component information

B. Buffer information

C. Authorization information

D. Alert information

**Answer:** A

**NO.16** Which of the programming languages listed below are implemented platform-independently?

- A. ABAP
  - B. C/C++
  - C. Java
  - D. Fortran
- Answer:** A

**NO.17** Which of the following functions are offered by CCMS-based monitoring (transaction RZ20)?

- A. Monitoring different attributes of all instances of one SAP system using a single monitor.
- B. Monitoring different attributes of different SAP systems using a single monitor.
- C. By default, all alerts in transaction RZ20 generate corresponding mail notifications.

**Answer:** A,B

**NO.18** What system behavior can be achieved by using specific profile parameters in AS ABAP- based SAP systems?

There are 2 correct answers to this question.

- A. You can set an expiration time for passwords.
- B. You can generally deactivate authorization checks in the complete SAP system (for example, in Sandbox systems).
- C. You can set the minimum password length.
- D. You can enable an emergency "master user", named "SAP\_ALL".

**Answer:** A,C